EMODnet

EC Contract No. MARE/2008/03

# Preparatory Actions for European Marine Observation and Data Network. Lot No 2 – Geological data.

EMODNET-Geology Project Interim Report January 16 2011



# 1. Introduction

The national geological survey organisations of the UK, Ireland, France, Belgium, The Netherlands, Germany, Denmark, Norway, Sweden, Finland, Estonia, Latvia, Lithuania and Poland are working together to deliver the requirements of EC Tender MARE/2008/03. The geological surveys of Europe provide an existing network (through the Association of European Geological Surveys – EuroGeoSurveys) that aims to deliver marine geological information solutions to decision makers in European government and industry, as well as providing baseline information for academic research. The contract between the EC and the EMODNET-Geology project partners was signed on 16 July 2009; this interim report describes progress from July 2010 to January 2011.

# 2. Project objectives

The EMODNET-Geology project is compiling information held by the project partners and additional datasets that are publicly available. The outputs will be delivered 'OneGeology-Europe through the Web using the (1G-E)' portal (http://www.onegeology-europe.org/). Existing metadata will continue to be stored on the EU-SEASED website, currently being developed and upgraded under the ECfunded GeoSeas project (http://www.geo-seas.eu/). The consortium is bringing together datasets according to the 'Preparatory Actions for European Marine Observation and Data Network Tendering Specification', namely all available sea-bed sediments including rate of accumulation or sedimentation; sea-floor geology (including age, lithology and origin); geological boundaries and faults; rate of coastal erosion and sedimentation; geological events and event probabilities (to include information on submarine landslides, volcanic activity, earthquake epicentres); seismic profiles; minerals (including aggregates, oil and gas). The areas covered are the Baltic Sea, Greater North Sea and Celtic Sea according to the boundaries shown in Figure 1.




Figure 1. Marine Regions and Sub-Regions as defined by the Marine Strategy Framework Directive.

3. Workplan and Workpackages

The project is being implemented in four phases. Phases 1-3 are the Development phases and Phase 4 is the Maintenance phase.

Phase 1. Development of the data layers and portal (months 1-12; July 2009-July 2010)

Phase 2. Testing and monitoring of the information layers (months 13-18; August 2010- January 2011)

Phase 3. Upgrade of the system following testing (months 19-24; January 2011-July 2011)

Phase 4. Maintenance of the system (months 25-36; August 2011-July 2012)

The project is implemented through 11 workpackages, each led by organisations with experience in the specific fields. These are:

WP1. Project Management (British Geological Survey)

WP2. 1:1 million marine geological data specification and sourcing (British Geological Survey).

WP3. Sea-bed sediment information compilation and harmonisation (Geological Survey of Finland).

WP4. Sea floor geology compilation and harmonisation (Bundesandstalt für Geowissenschaften und Rohstoffe (BGR) - Federal Institute for Geosciences and Natural Resources, Germany).

WP5. Coastal erosion or sedimentation (TNO- Geological Survey of the Netherlands) WP6. Geological events and probabilities (Geological Survey of Norway).

WP7. Minerals (Geological Survey of Ireland)

WP8. Integration with OneGeology-Europe (including portal development) (British Geological Survey)

WP9. Dissemination (British Geological Survey)

WP10. Liaison with EMODNET lots (British Geological Survey).

WP11. Project analysis and sustainability (British Geological Survey).

Each of the data workpackages (WPs 3-7) consists of a development phase (October 2009 to July 2010), upgrade phase (July 2010 to July 2011) and a maintenance phase (August 2011 to July 2012).

3.1 Workpackage progress

The objectives and description/deliverables as set out in the original tender are given followed by progress made in each workpackage.

3.1.1. Workpackage 1. Project Management (British Geological Survey).

Workplan objectives and deliverables

Objectives: To manage the overall project, ensure delivery of the outputs and outcomes as agreed with the European Commission. To assess and evaluate the project and its results.

Description/deliverables: Provide leadership and co-ordination through the office of the Project Co-ordinator. Prepare, start up, organise, operate and close the project. Maintain all management documents and implement protocols. Control and monitor the project progress and to deploy the financial and staff resources effectively. Develop and maintain all project and quality plans, schedules and milestones. Report to the EC according the schedule specified by the Commission. Maintain communications across the consortium members and take overall responsibility for organisation of project meetings.

The Project Co-ordinator will be assisted by a Steering Committee that consists of leaders of the Workpackages (some of whom may have responsibility for more than one WP).

Project and Monitoring Meetings

The project partners have met four times within the first 18 months of the project.

12-13 October 2009 in Edinburgh, UK 26-27 January in Rovaniemi, Finland 14-15 June in Villefranche-sur-Mer, France 26-27 January in Berlin, Germany

These meetings were planned to co-incide with major project milestones. It is anticipated that there will be two further project meetings in September/October 2011 to review progress during the maintenance phase and March 2012 to make plans for the sustainability of the project deliverables.

3.1.2. Workpackage 2. 1:1 million marine geological data specification and sourcing (British Geological Survey).

Workplan objectives and deliverables

Objectives: To identify relevant data held by the project partners and other national organisations. Update the discovery metadata held on the EU-SEASED metadatabase (note that the seismic profiles layer (layer 6 of Geology lot) included in the tender documents section 2.3.1.5 will be derived from the EU-SEASED metadatabase). Audit existing national geological and value added spatial datasets (i.e. interpreted geological information). Define new Multilingual Geological Metadata Profile in accordance with the OneGeology-Europe project.

Description/deliverables: Comprehensive audit and evaluation of national geological spatial datasets that can be compiled at 1:1 million scale in all partner countries. Evaluation of existing metadata profiles for description of geological datasets to provide a basis for a New Multilingual Geological Metadata Profile that will be defined and implemented through the OneGeology-Europe (1G-E) portal.

Report on precision of data and how it has been processed. Where external data are used, this will be on the basis of freely accessible information that is in the public

domain. Should any agreements be necessary, these will be developed outside the EC project as these will be deemed to be in the national interest of each country. Any delay in provision of external data will not impact on the project deliverables, as the partners

## Progress

Main data sources were identified during the Edinburgh meeting in October 2009 and have been subsequently incorporated into the data workpackages. Further datasets have been incorporated as they become available to the project (see individual WP reports). A comprehensive list of geological metadata terms exists in the Multilingual Geological Metadata Profile, which has been updated with terms that are specifically related to marine geology.

3.1.3. Workpackage 3. Sea-bed sediment information compilation and harmonisation (Geological Survey of Finland).

Workplan objectives and deliverables

Objective: To compile and harmonise all available sea-bed sediment information at a scale of 1:1 million to deliver layer 1 of the Geology lot in the tender documents.

Description/deliverables: Harmonisation of data will include an evaluation of the different classification schemes used in each country and the compilation of maps that integrate the datasets to the most appropriate scheme for integration with the hydrographic, chemical and biological lots. Where information on accumulation/sedimentation rates currently exists, they will be included in a separate report. A GIS layer will be delivered in the OneGeology-Europe portal.

## Progress

Harmonisation of data from each country within the project area was completed in January 2010 as the substrate map was required for the EUSeaMap Project. The harmonisation methodology was reported in the July 2010 Interim Report. In the last 6 months, the project partners have continued to work on the update of the 1:1 million sea-bed geology map, in particular addressing any boundary mis-matches. The most up-to-date version of the map is given in Figure 2.

The WP is also compiling information on sedimentation rates where possible. As regional coverage of sediment rates is not available, the project partners are compiling data at point sources. This information is shown in Figure 4.

One of the aims of the EMODNET-Geology project is to highlight data gaps and deficiencies, for example the low-resolution data on which many of the national geological interpretations are based. This is being achieved through the development if an Index Map (see Figure 3) and a GIS layer showing confidence in the interpretations (based on the data sources used to make the geological maps).

These types of information are essential to allow users (and in particular decisionmakers) to understand the limitations of the maps.




Figure 2. Sea-bed substrate map of the EMODNET-Geology Project study area.




Figure 3. Index map showing areas where sea-bed substrate data are available. The current version (January 2011) is a compilation of more than 200 maps.

## Sedimentation rates

Project partners are compiling information also on sedimentation rates available in their national waters, including their EEZs. GTK has combined these data as shown in Figure 4. Data are currently available from the Baltic Sea and Greater North Sea, but these will be added to as new information is found in published sources.




Figure 4. Sediment accumulation rates (cm/year) in the Baltic Sea/Greater North Sea.

Confidence assessment

Feedback gained during national mapping activities and within the EMODNET group has shown that users of sea-bed geological information benefit from a confidence assessment of the map products. A number of complex system have been develop to assess confidence, however a system that has been developed in-house by the British Geological Survey has been discussed and agreed by the EMODNET-Geology partners as a good method for providing users with an easily understood assessment of the data providers confidence in their interpretations (see Appendix 1). These maps are being compiled during February 2011 to make available to other EMODNET projects (in particular the Broadscale Mapping Project – EUSeaMap) in time for them to integrate into their final report.

3.1.4. Workpackage 4. Sea-floor geology compilation and harmonisation

Workplan objectives and deliverables

Objective: To compile and harmonise all available sea-bed geology (outcrop and sub-Quaternary) information at a scale of 1:1 million.

Description/deliverables: Compile all sea-bed geology maps available in each participating country and resolve any major boundary issues at 1:1 million scale. Information on age and lithology of the major stratigraphical units will be included (layer 2 of Geology lot – Section 2.3.1.5 of the tender documents). This workpackage and data layer will include the major geological boundaries and significant faults (layer 3 of Geology lot - Section 2.3.1.5 of the tender documents) that can be portrayed at 1:1 million compilation scale. A GIS layer will be delivered in the OneGeology-Europe portal.

## Progress

WP4 is building on the the 1: 5 Million International Geological Map of Europe and Adjacent Areas (IGME 5000) compiled by Dr Kristine Asch of BGR, the WP4 leader.

The IGME 5000 map delivered excellent harmonised data for the entire marine area of Europe at 1: 5 million scale. These data where compiled from the year 1995 to 2005.

For the EMODNET-Geology project, the IGME 5000 data are being adapted to 1:1 million scale (IGME 1000) to provide an update and add more detail where possible at the more detailed scale (Figure 5). Any new terminologies will be adapted to the 1G-E vocabulary. As well as adding the data layer to the 1G-E portal, the WP4 lead organisation (BGR) will consider printing a number of copies at their own expense to promote the map and the EMODNET programme.

During the period since the last Interim Report (July 2010-January 2011), the EMODNET-Geology partners have reviewed the 1G-E vocabulary (for both and age and lithology). Subsequently, extracts from IGME 5000 maps have been produced for each country within the project area for review and up-date at the more detailed scale (Figures 6 and 7).

Note that the WP4 data layer includes only pre-Quaternary geology. The project partners have agreed to include Quaternary information where possible – these data will not be harmonised as it is beyond the scope of the project, however they will provide a useful indication of the regional Quaternary information that is available and may form the basis for future collaborative project between the European geological surveys




Figure 5. Sea-bed geology at 1:1 million scale.




Figure 6. Example of map showing the age of rocks (near Kristiansand, southern Norway).




Figure 7. Example of map showing the lithology of rocks (near Kristiansand, southern Norway).

3.1.5. Workpackage 5. Coastal erosion or sedimentation (TNO- Geological Survey of the Netherlands).

Workplan objectives and deliverables

Objective: To identify and map areas of erosion and sedimentation in the coastal zone of each participating country based on information available to the project partners, including publicly-available information (published scientific papers etc.)

Description/deliverables: Compile all coastal erosion and sedimentation data available in each participating country and resolve any major boundary issues at 1:1 million scale (layer 4 of Geology lot - Section 2.3.1.5 of the tender documents). A GIS layer will be delivered in the OneGeology-Europe portal.

Progress

Coastlines can behave in three general ways: they can migrate seaward (progradation), remain in place, or migrate landward (retrogradation). Factors governing this behaviour are vertical crustal motion (uplift and subsidence), global (eustatic) sea-level change, sediment availability, wave and tidal processes, slope instability, and human-induced factors such as coastal-engineering and river-basin regulation works.




Figure 8. Updated EUROSION database on coastal erosion and sedimentation.

The purpose of WP5 is the compilation and merger of all coastline-behaviour databases held by or available to the project partners, and the visualization of these databases in an ArcGIS viewer. The central parameter in the final product will be (rate of) shore-normal coastline migration. To eliminate the impacts of short-lived and/or local events, average values over a period of 10 years are preferred.

WP5 is carried out in four phases: 1) compilation of data on coastline migration in the appropriate format, 2) creation of a GIS file visualizing these data, 3) compilation of data on rates of coastline migration in the appropriate format, and 4) creation of a GIS file visualizing these rate data.

The project group has made a start with the compilation of data on coastline migration. A GIS layer has been created, and the EUROSION database on coastal erosion and sedimentation is being supplemented and updated by the partners (Figure 8). In the Netherlands, data on rates of coastline migration for the period 1999-2009 have been compiled and are being transferred to GIS.

EUROSION includes the most recent data for the UK, Germany, Latvia and Ireland. Updates will be delivered by the project partners from Estonia (date unknown), Finland (February 2011), Denmark (January 2011), France (Channel area, date unknown), Poland (quantitative data for final 20 years on the basis of maps and New data have been provided to the EMODNET-Geology project by the Lithuanian project partner (although there are still some problems with polyline continuity), and Belgium (with some problems transferring HW and LW lines to attribute values). There are no EUROSION data for Norway, however index and coastline migration shapes have been provided.

## Case study

In the Netherlands, very detailed annual coastline migration data are available. In a case study of the Dutch coast, we show the added value of using high-resolution (in space and time) information. A worked example for one of the Dutch barrier islands will serve as a template for subsequent analyses (see Figure 9)




Figure 9. Case study information from Ameland, the Netherlands.

3.1.6. Workpackage 6. Geological events and probabilities (Geological Survey of Norway).

# Workplan objectives and deliverables

Objective: To identify and map the locations of all significant geological events and provide information on probabilities of occurrence where available. These will include sites of submarine landslides, and earthquake epicentres located in the offshore study

Description/deliverables: Compile all information on geological events that are available in each participating country at 1:1 million scale (layer 5 of Geology lot - Section 2.3.1.5 of the tender documents). A GIS layer will be delivered in the OneGeology-Europe portal.

## Progress

Key data holders for submarine landslide and earthquake information were identified and contacted during 2010. For submarine landslides, the main contact was partners of the EU-funded COSTA (Continental Slope Stability) project who have supplied a GIS file with outlines of the slide studied in this project. A template for attribute information based on the COSTA project database has been distributed to all partners, and has been completed by those partners who have slides to report. For earthquakes, three data centers have been contacted – Incorporated Research Institutes for Seismology, IRIS, United States, International Seismological Centre, ISC, United Kingdom, and European-Mediterranean Seismological Centre, EMSC, France. Both the European centers have responded positively towards cooperation and supply of data. The European-Mediterranean Seismological Centre run a portal services, http://www.seismicportal.eu/jetspeed/portal/ with associated web services. At this first stage, static data has been supplied by EMSC. The current data coverage is restricted to earthquakes later than 1998, but will be increased in the near future. The EMSC are currently investigating the option to have their own WMS, but no time scale for this is available. Should their WMS service become available during the EMODNET-Geology project the EMSC data will be derived directly so that the most up-to-date earthquake information is available.

A static preliminary web map services has been developed (http://www.ngu.no/mareano/Prosjekt/kart/jordskjelv.htm) (Figure 10), showing the location and magnitude of natural earthquakes since 1998. This is based on a fully populated GIS layer. Attribute information on date, time, depth and type of magnitude is available.

For both submarine landslides and earthquakes, the deliverables are based on existing data compilations, supplemented by national data from the partners. For submarine landslides (Figure 11), the GIS information supplied by the former COSTA partners have been incorporated into ArcMap. The COSTA data has been updated by partners' information e.g. in the North Atlantic. Small slides in, for example, the Norwegian fjords are shown as individual points. A preliminary web map services has been developed (http://www.ngu.no/mareano/Prosjekt/kart/jordskjelv.htm), showing the outlines and some attribute information. Information regarding the attributes for each slide are being tabulated e.g. area, age etc (Figure 12).

# EMODNET-Geology Project: January 2011 Interim Report




Figure 10. Screendump from the preliminary web map image provided by the ArcGisServer, showing the location of earthquakes provided by EMSC. The size of the circles indicate magnitude.




Figure 11. Screendump from the preliminary web map image showing the location of submarine slides.

# EMODNET-Geology Project: January 2011 Interim Report




Figure 12.Table showing the attributes of the submarine slides being compiled for WP6.

3.1.7. Workpackage 7. Minerals (Geological Survey of Ireland)

Workplan objectives and deliverables

Objective: To identify and map areas of minerals (including aggregates, oil and gas and metalliferous minerals) in each of the participating countries based on information available to the project partners, including publicly-available information (published scientific papers etc.).

Description/deliverables: Compile all mineral locations at 1:1 million scale (layer 7 of Geology lot - Section 2.3.1.5 of the tender documents). A GIS layer will be delivered in the OneGeology-Europe portal.

#### Progress

As reported in the bi-monthly progress reports, the WP leader has not been able to make rapid progress in compiling third party datasets due to lack of a response from organisations who have already compiled minerals data for the European seas. A template for gathering index data will be distributed to the project partners to compile all datasets that they are aware of and a layer will be added to the 1G-E portal by end-May 2011.

WP6 data differ from the other EMODNET-Geology layers in that they are mainly held by external organisations (e.g. Licensing Authorities). The WP leader will investigate ways of linking these data resources to the 1G-E site as this would give the user the most up-todate information available. A useful addition may be a summary of the licence agreements that are in force in each country within the project area, which could be compiled from the literature.

Inclusion of data layers from published sources such as the Southern Permian Basin Atlas (as previously reported) are still under discussion, but it is expected that the distribution of e.g. oil and gasfields in the area will be made available to the EMODNET-Geology project.

3.1.8. Workpackage 8. Integration with OneGeology-Europe (including portal development) (British Geological Survey)

Workplan objectives and deliverables

Objective: To integrate EMODNET-Geology data layers in the OneGeology-Europe (1G-E) portal to provide interoperable geological spatial datasets at 1:1 million scale for the offshore area included in the tender documents.

Description/deliverables. In line with the deliverables and expected results of the 1G-E project, the EMODNET-Geology products will deliver:

1) public access to all interoperable geological spatial datasets 2) scientific and informatics specification for the harmonisation of geological data at 1:1 million resolution and progress towards a harmonised onshore-offshore geological dataset for the European Community 3) multilingual discovery metadata 4) a robust data model, schema and mark-up language for the geosciences, which is OGC compliant and documented and deployed across the EU 5) a web portal providing easy access to marine geological data 6) guidance on re-use of geological data 7) exchange of science, technology, informatics and communications skills across the EU. These deliverables will allow substantial progress towards INSPIRE goals – users will be able to discover, view and download geoscience data across the EU, which will also provide a template for other environmental data themes. The system will also provide a reference base on which other valuable data products and services can be built.

The 1G-E web portal will also include an EMODNET-Geology project area that provides:

1) on-line instructions allowing users to understand and download the data 2) indications of the precision of the data 3) project progress. The first operational version of the portal will be ready by the end of Phase 1 (Month 12).

#### Progress

The EMODNET-Geology web page is now available (Figure 13) and provides links to the OneGeology-Europe portal which is being used to deliver the EMODNET-Geology map layers as well as providing links to the other EMODNET portals. The domain 'emodnet-geology.eu' has been purchased for use by the project and will be implemented as part of the next release of the website during the week commencing 7 February 2011.

## EMODNET-Geology Project: January 2011 Interim Report



Figure 13. EMODNET-Geology web page.




Figure 14. Sea-floor geology (WP4).

The map layers for sea bed sediment (WP3) and sea floor geology (WP4; Figure 14) are now available via the 1G-E portal. Each map layer also includes metadata (Figure 15) detailing access constraints, the location of the WMS which is hosting the individual map layer, contact details and coverage information.

Server I Server I Server I Server I Layer name : Emotion Abstract : See Server I Abstract : See Server I See Server I See	Emodnet Subs contra-oeology thtt://wiomaksi.uk.f/Accidit/envices/MSOCNET-Geology thtt://wiomaksi.uk.f/Accidit/envices/MSOCNET-Geology/MSOCNET-Geology thtt://wiomaksi.uk.f/Accidit/envices/MSOCNET-Geology and the Cells Substrate may of the Ballic Size, the Greater North Size and the Cellic Sizes at 1 in the second state of the Ballic Size, the Greater North Size and the Cellic Sizes at 1 in the second state of the Ballic Size, the Greater North Size and the Cellic Sizes at 1 in the second state of the Ballic Size, the Greater North Size and the Cellic Sizes at 1 most most advantume of the Ballic Size, the Greater North Size and the Cellic Sizes at 1 5.7200. distance that the Cellic Size at 1 distance the second state of the Size at 1 distance the cellic Size at 1 the sizes that the Centres Line greater dist, with the MCMF-Geology at marks the sized prior to the Contract Line greater dist, with the MCMF-Geology at marks the sized prior to the Contract Line greater dist, with the MCMF-Geology at marks the sized prior to the Contract Line greater dist, with the MCMF-Geology at marks the sized prior to the Contract Line greater dist, with the MCMF-Geology at marks the sized prior to the Contract Line greater dist, with the MCMF-Geology at marks the sized prior to the Contract Line greater dist, with the MCMF-Geology at marks the sized prior to the Contract Line greater dist, with the MCMF-Geology at marks the sized prior to the Contract Line greater dist, with the MCMF-Geology at marks the Sized Sized to the MCMF-Geology at marks the Sized Sized to the MCMF-Geology at marks the MCMF-Geology at marks the Sized Sized to the Sized Sized to the MCMF-Geology at marks the Sized Sized to the Sized Sized to the Sized Sized to the MCMF-Geology at marks the Sized Sized to the Sized Sized to the Sized Sized to the MCMF-Geology at marks the Sized Sized to the Sized	Metadata from GetCapabilities askide=still 000 000 soels: The map is collected and harmonised from substrate information within the EMODNET-Geology Where necessary, the asisting substrate descriptions (of individual maps) have been translated to a scheme descret sinder on the basis of the machine collection of the scheme translated to a scheme pice will continue with July 2012 and further madifications may be made. This dark version was produced in your basis continue on the scheme the madifications may be made. This dark version was produced in the Monther Contage and further madifications contained and the scheme translated and have been completed at more detailed calls. The nagh therefore gives an overview of the marine regions in nater represented by the European commission. The holders of the inflatedual present probes (161) to the dark and use scheme the full scheme and there availity or suitability of the information, and all may are scheded to the full scheme there marked by law.
- Server : En Online resource : Of ) - Layer name : Ern Abstract : See proj - Abstract : The output - Access constraints : The output - Access constraints : The output - Bescriptive keywords : Solo - Ectent (Lation Jourdina Man) : We	Emodnet Subs concer-oeology thtt://wiomaksi.uk.f/Accidis/envices/ModCNET-Geology //mite/ concer-oeology thtt://wiomaksi.uk.f/Accidis/envices/ModCNET-Geology //mite/ concer-oeology //mite/ conc	Metadata from GetCapabilities askidat=stid 0.00 000 scale. The map is collated and harmonized from substrate information within the EMOONET-Geology Where necessary, the acisting substrate descriptions (of individual maps) have been translated to a scheme descret softed on the basins of the modifications may be made. This dark version was produced in the softener with UVL 2012 and further modifications may be made. This dark version was produced in the Metadata of the softener with modifications may be made. This dark version was produced in soften and a mark detailed as climate the intellection of the intellectual property rights (1991) to the dark user properties of the European Commission. The Intellectuary, condition or representation as to the any super suppose, all implied anditions relating to exaking or subschild by the information, and all may are compared to the function start end the quality or suitability of the information, and all may are concluded to the function start end to the south or suitability of the information, and all may are softed on the function start end to the south or suitability of the information, and all mains and the softed on the softed on the south or suitability of the information, and all mains are concluded to the function start end on the south or suitability of the information, and all mains are concluded to the function start end on the south or suitability of the information, and all mains are concluded to the function start end on the south or suitability of the information, and all mains are concluded to the function start end on the south or suitability of the information, and all mains are concluded to the function start end of the south or suitability of the information, and all mains are concluded to the funct end the termine of the south or suitability of the information, and all mains are concluded to the funct end the termine of the south or suitability of the information of the south or suitability of the information of the south or suitab
Dollare resource () Ollare resource	SDET-Geology Ittl://acmisel.atk.fi/Accids/services/IMSOCNET.Geology/MadServer/2M15Server/1a Solar Subarta map Solar Subarta map of the Ballo Sos, the Greater North Sos and the Celic Sess at 1 ince. The survey subarta subarta subarta subarta subarta subarta for the sub- meter model additional sub-term additional subarta subarta subarta for the sub- meter model additional sub-term additional subarta subarta subarta subarta dataset has been compiled at 1:1 000 cost subarta subarta. Capyright: Evropeana Centre dataset has been compiled at 1:1 000 cost subarta subarta subarta subarta subarta for the subarta subarta subarta subarta subarta subarta subarta for the subarta suba	Relades from GetC spabilities askide=still 000 000 scale. The map is collected and harmonised from substrate information within the EMODNET-Geology Where necessary, the asisting substrate destification (of individual maps) have been translated to a scheme destes direct on the basis of the margin collection of the start of the trade start downers between the start of the margin collection may from the start of the trade start provide the start of the margin collection of the start of the start version was produced in the Monthme will buy 2012 and further madifications may be made. This dark version was produced in substrate starts and a margin database cale. The nap therefore gives an overview of the marker regions in nater versensed by the European commission. The holders of the intellectual property rights (PIA) to the data and use collection of the fuller opean environment, condition or regeneration as to the any use or purpose, all implied conditions relating to the uset or substility of the information, and all may are collected to the fuller start the transition of the information, and all marker environments and the start of the marker of the information, and all marker environments and the start of the marker of the information and all marker environments and the start of the marker of the information, and all marker environments and the start of the start of the information and all marker environments and the start of the start of the information and all marker environments and the start of the start of the information of the information and all marker environments and the information environments of the information of the information and all marker environments and the information environments of the information of the information and all marker environments and the information environment of the information of the information of the information of the information and all marker environments and the information environment of the information of the information of the information o
Dollare resource () Ollare resource	ttp://dom.seiz.dt/.keci012/enciess/ENCORET-Geology/MacGener/AHtSGener/I def Subirter and the Dable Sea, the Greater Kinh Sea and the Cells Seas at 1 inchest Subirter and the Dable Sea, the Greater Kinh Sea and the Cells Seas at 1 is supported by LUNIST. This ENCORET relassification scheme consists of four substr meet, mixed sedemic and the dable Subtrate dasses Cells of Subirter American Gastes thas been compiled at 1:1 000 000 scale from background information that mo- ration. It is not suitable for local or regional scale analysis. Copyright: European Centro Ho sixed prior to Curtaxe targe dereted to, as the ENCORE-Greatego americ IP, accoracy or completeness of the data, information, or service, or its subability for list anion from the subject of the data, information, clouding and isolative scale scale for subject for substability for list anion from the subject of the data, information, clouding and isolative scale s	DUBDETERS DUBDETERS
Daline resource : 01 D Lyyr name : Emo Abstract : 500 rom	ttp://dom.seiz.dt/.keci012/enciess/ENCORET-Geology/MacGener/AHtSGener/I def Subirter and the Dable Sea, the Greater Kinh Sea and the Cells Seas at 1 inchest Subirter and the Dable Sea, the Greater Kinh Sea and the Cells Seas at 1 is supported by LUNIST. This ENCORET relassification scheme consists of four substr meet, mixed sedemic and the dable Subtrate dasses Cells of Subirter American Gastes thas been compiled at 1:1 000 000 scale from background information that mo- ration. It is not suitable for local or regional scale analysis. Copyright: European Centro Ho sixed prior to Curtaxe targe dereted to, as the ENCORE-Greatego americ IP, accoracy or completeness of the data, information, or service, or its subability for list anion from the subject of the data, information, clouding and isolative scale scale for subject for substability for list anion from the subject of the data, information, clouding and isolative scale s	L00 000 scale. The map is collisted and harmoniced from substrate information within the EMODNET-Geology . Where necessary, the existing substrate classifications (of individual maps) have been translated to a scheme to disses of dirind on the basis of the modified field bringed (mud to sand; mud), sand to mode s snall, coarse elevel will continue with 20 201 and further modifications maps to make. The dirity terms was produced in y have been compiled at a more detailed scale. The map therefore gives an overview of the marine regions in inter represented by the European Commission. The holders of the intellectual property roles (PP) to the data, The EMODNET-Geology partners (The PP) and belory give neuroscity, condition or representation as to the any use or purpose. All implied canditions relating to the quality or suitability of the information, and all map are excluded to the lubel scate that granter by laws.
Layer name : Ern Abstract : See proj that sad scale Access constraints : The que which conscriptive keywords : Sub	order Subtrate map, 	L000 000 scale. The map is collabed and harmoniced from substrate information within the EMOCNET-Geology . Where necessary, the existing substrate classifications (of individual maps) have been translated to a scheme to disses of dirind on the last of the modified Folk bringed (much to sand) much, sand to mode s end); coarse dire will continue with 2012 and further modifications may be made. The dorft version was produced in y have been compiled at a more detailed scale. The map therefore gives an overview of the marke regions in inder represented by the European Commission. The holders of the intellectual property rights (PD) to the data, The EMOCNET-Geology partners (NE PD) European Loberty partners, condition or representation as to the any use or purpose. All implied candicions relating to the quality or suitability of the information, and all moja er excluded to the lutest scate the protection by the south of the information, and all moja er excluded to the lutest scate the protection of the information, and all moja er excluded to the lutest scate the protection of the information.
Abstract: See brainn brainn	when subtracts may off the Dahlo Sea, the Greater Kinh Lee and the Cahlo Seas 4.1 inc. The current main is colleted from more than 200 separate as-bed ductates more is supported by LUMES. This EMDONET reclassification scheme consists of four substra- ment, mixed sedemical and the additional substrate classes (classification, red.). The pr 20.200. disase has been compiled at 1.1 000 000 scale from background information than disase has been compiled at 1.1 000 000 scale from background information than attain. It is not suitable for local or regional scale analysis. Capyright: European Comm be sisted prior to Currest teing elevance of the, and the BrODEF-Goology apartment (br, accuracy or completeness of the data, information, creating, or its suitability for list anising from the suity of the Antennetic (Cabuld ang its Bible scale) and end strates, Bable Cae, North Sea, Cebic Sea, Northern Europe, EurodesSurvey, Decederations	When necessary, the existing understrate disastifications (of individual map) have been translated to a scheme in classes defined on the basis of the modified folls tringing (cmut) to schery must send to musds send course ject will continue until July 2012 and further modifications may be made. This draft version was produced in y have been compiled at a more detailed scale. The map therefore gives an overview of the marine regions in inter represented by the European Commission. The holders of the intellicitual property rights (EP) to the data, The EMODET-Collegy partners (NE PR) Tablers year on averanty, condition or representation so to the any use or purpose. All implied candidous relating to the use of the intermedious, and all nog are excluded to the fulse scheme termine by law.
projo that sodi 30.0 • Access constraints : The quere which again again base - Estent (Int Ion baunding base). We	pied. The ourrent maps is collected from more than 300 separate sea-bed substrate maps is supported by ULES. The UENDERT resistances and an encoded search and a substrate discusses (diamittan, reak). The pro- 30-320. The supported by ULES and Search and	When necessary, the existing understrate disastifications (of individual map) have been translated to a scheme in classes defined on the basis of the modified folls tringing (cmut) to schery must send to musds send course ject will continue until July 2012 and further modifications may be made. This draft version was produced in y have been compiled at a more detailed scale. The map therefore gives an overview of the marine regions in inter represented by the European Commission. The holders of the intellicitual property rights (EP) to the data, The EMODET-Collegy partners (NE PR) Tablers year on averanty, condition or representation so to the any use or purpose. All implied candidous relating to the use of the intermedious, and all nog are excluded to the fulse scheme termine by law.
que which liabi - Descriptive keywords : Sub - <u>Extent (lat lon bounding box) i</u> We	stien. It is not suitable for local or regional scale analysis. Copyright: European Comm ch existed prior to the Centrate bring entered into, and the EMODET-Geloby partner the accuracy or considentiases of the deck information, or service, or its suitability or illies ansing from the supply of the information (including any liability arising in neglig strate, bable Sea, North Sea, Celtic Sea, Northern Europe, EuroGeoSurveys, OneGeol	whity represented by the European Commission. The holders of the intellectual property rights (IDR) to the data, The EMOONET-Geology partners (the IDR holders) give no warranty, condition or representation as to the any use or purpose. All implied conditions relating to the quality or suitability of the information, and all noe) are excluded to the fullest extent permitted by law.
<u>Extent (lat lon bounding</u> 10X) : We		igy-Europe, Harmonised data
box): We	North	
We		
	65.907081	Legend
-23.94	st 🛛 🗹 East	
	17763 🕅 30.219787	ELECTRICAL ELECTRICAL ELECTRICAL ELECTRICAL EL
	South	E for allor To registra
	48	* 10
Contact Person	nne to contact :	
- Adress : Aamo K	Kotilainen	
Geologi	ical Survey of Finland	
P.O.Bo		
	51 Espoo	
Finland		
- @mail: aamo.k		

Figure 15. Metadata for the EMODNET-Geology substrate map.

Map layers for Coastal Behaviour (WP5) and Geological Events (WP6) are now complete and will be delivered as a WMS. These will be made available via the 1G-E portal as soon as the necessary local OGC complaint WMS services have been initiated at the partner organisations responsible for the compilation of these map layers.

Work has also now started to implement additional functionality for a number of the map layers using the WFS services. This will include the use of the GeoSciML for the lithological and stratigraphical map layers, and Quake ML mark-up language for the geological events and probabilities. (GeoSciML is the XML geosciences standard which is being implemented by 1G-E for the purposes of delivery of geological map data.)

The WMS map layers currently being delivered in the 1G-E portal will also be delivered via the One Geology (global) portal. As a result the map products will reach the wider global One Geology community which extends beyond Europe.

Integration with other EMODNET Lots

The EMODNET-Geology project is also using the web map services (WMS) from the other EMODNET lots in order to display related map layers. For example Figure 16 shows a habitat maps created by EUSeaMap overlain on the EMODNET-Geology seabed substrate maps viewed in the 1G-E portal.




Figure 16. EUSeaMap habitat data viewed in the One Geology-Europe portal.

3.1.9. Workpackage 9. Dissemination (British Geological Survey).

Workplan objectives and deliverables

Objective: To ensure widespread dissemination of the EMODNET-Geology products, through targeted contact with stakeholders and other users of marine geological information.

Description/deliverables: The main focus for dissemination will be the 1G-E portal, which by integration with EMODNET-Geology will ensure maximum exploitation of dissemination opportunities. 1G-E has already received major publicity (TV and press media) and has an extensive campaign of events planned during the project. The EMODNET-Geology partners will bring their specialist knowledge of the users of marine geological data to this effort and will deliver their own dissemination objectives through participation at national and international meetings, workshops and conferences that focus on marine science. Factsheets and PowerPoint presentations on the specific deliverables of the EMODNET-Geology project will be delivered. Collaboration with other initiatives (see Workpackage 10), will further ensure widespread dissemination.

## Progress

The EMODNET-Geology project was included in three separate presentations and a poster at the 'Geoscience 2010' meeting in Dublin, Ireland (November 3-4, 2010). The EMODNET-Geology project was mentioned in the opening remarks by Maria Damanaki, the Commissioner for Maritime Affairs and Fisheries, during the EurOcean

2010 Conference in Ostend, Belgium on October 12 2010. EMODNET-Geology was also included in a presentation at the GEO (Group on Earth Observations) Ministerial Summit in Beijing, China from 3-5 November. The project was part of the EuroGeosurveys contribution to an exhibit organised by the EC, which also included ESA and Eumetsat. A book entitled 'Crafting Geoinformation' included the OneGeology project and the offshore information being provided by EMODNET-Geology. The book can be downloaded at:

http://www.earthobservations.org/documents/geo\_vii/geo7\_crafting\_geoinformation.pdf

The EMODNET-Geology project was presented at the Baltic Sea Geology Conference in St Petersburg by Anu Kaskela of the Finnish Geological Survey.

\* Note all international presentations were at the expense of individual partners and did not incur costs to the EMODNET-Geology project.

3.1.10. Workpackage 10. Liaison with EMODNET lots (British Geological Survey).

# Workplan objectives and deliverables

Objective: To ensure that the EMODNET-Geology project is fully aware and complementary to the objectives of other marine science initiatives within European waters. To prepare for better and linked marine data that will have an immediate impact on the planning of environmental policy and mitigation measures within the European Union and to facilitate impact assessments and scientific work.

Description/deliverables: To be defined with other project co-ordinators and groups/projects, however at a minimum level to support the aims of the EU Blue Book on an integrated maritime policy for the European Union and the accompanying Action Plan. By providing an overview of the main data and information resources available and the benefits and added value of integration, the workpackage will contribute to proposals for the development of mutually compatible and multi-dimensional mapping of seas in the Member States waters.

## Progress

In the early stage of the project, the principal liaison with other EMODNET lots was with the EUSeaMap project to deliver the Sea-bed substrate map described in WP3 by an agreed deadline of January 2010. Feedback from the EUSeaMap was taken into account during further development of the WP3 data layer. Note that the 1G-E system is able to integrate the EUSeaMap data using WMS as reported in the previous section (see Figure 16). The sea-bed sediment maps in relation to the Broadscale Habitat Mapping project were presented by David Connor during his presentation at the EurOcean 2010 Conference in Ostend, Belgium.

As previously reported, awareness of other projects and their complementarity to EMODNET is provided by the EMODNET-Geology project partners themselves as many have participated, or are participating in a number of other geological initiatives; these include the MESH Project – TNO (Sytze van Heteren) and BGS;

BALANCE - GEUS (Jørgen Leth) and GTK (Aarno Kotilainen, Ulla Alanen and Anu Kaskela); EU-SEASED - all partners were involved in the EUMARSIN and EUROSEISMIC projects; Geo-Seas - BGS (Helen Glaves: Project Co-ordinator); BLAST (Bringing Land and Sea Together) - BGS (Alan Stevenson); OneGeology-Europe - BGR (Kristine Asch). Several of the partners are from organisations involved in leading their national multidisciplinary mapping programmes such as INFOMAR (Geological Survey of Ireland), MAREANO (Geological Survey of Norway) and MAREMAP (British Geological Survey).

The project co-ordinator and partners continue to liaise when necessary with other EMODNET lots.

Appendix 1.

A Simple Confidence Grid for the EMODNET-Geology Sea-bed substrate Map

An ESRI Arc grid (1km cell) is created to represent a level of confidence in assessing the seabed sediment at a known location. The grid has a numerical score of 0 to 8, from a low to higher level of confidence. Confidence has been assessed only in terms of easily quantifiable parameters. The score is based upon data availability/density and equipment type. No allowance has been made for positional accuracy due to the resolution of final grid cell size.

The following is a brief outline of the stages used to develop the grid, with a final value of between 0 and 8. Each stage below results in an intermediate grid, with an appropriate score, that are then summed to produce the final confidence grid. THIS IS A SIMPLE AND EASY ATTEMPT TO VISUALIZE CONFIDENCE FOR A REGIONAL SCALE (1:250000) IT DOES NOT TAKE HETEROGENITY/VARIABILITY OF SEA-BED SEDIMENTS INTO ACCOUNT. IT IS SIMPLY A DATA GAP ANALYSIS. THIS IS A FUTURE AREA FOR IMPROVEMENT DEPENDING ON SUCCESS/EFFICIENCY OF FIRST PHASE.

To create the confidence grid you will need the following:-

- ArcGIS (with a Spatial Analyst extension)
- Shapefiles/Feature Classes of the following: samples, separate seismic and side scan sonar survey track lines, multibeam extent polygons and a polygon of your project/territorial area.
- A relatively experienced ArcGIS user
- International phone line to call Rhys for help.
- 1. Sample Density

The sample density was calculated using the Point Density function of ArcGIS Spatial Analyst. The density of samples is calculated for a specified area around the centroid of each output raster cell. The specified search area used to calculate density is determined by the total size of study area. The number of points falling within the search area is totalled and divided by the search area. The resulting grid was then reclassified to assign an appropriate score (1-3) for inclusion in the final confidence grid. For example, a 4km2 search area is used: 0-0.24 = 1 (no samples); 0.25 - 0.5 = 2 (between 1 and 2 samples); > 0.5 = 3 (more than 2 samples).

# 1.1 METHOD

1.1.1 Open ArcMap in a suitable projection for study area/territorial water. The final grid has a cell size of 1km so a projection must be used (preferably WGS 84 and appropriate UTM zone) >

1.1.2 Add seabed samples used in interpretation>

1.1.3 Make sure you set the extent of the grid to be a sensible number. Lower the extent to nearest kilometre.

Open Spatial Analyst toolbar > Options > Extent > Set Analysis Extent to a shapefile/feature class of your project area. Then lower the left and bottom extent values to the nearest whole kilometre.

1.1.4 Open ArcToolBox>Spatial Analyst Tools>Density>Point Density

1.1.5 Input Point Features - Your samples feature class, Population field - NONE, Output Raster - Specify output Output cell size = 1km, Neighbourhood – Rectangle, Neighbourhood Settings –Height – 2000, Width – 2000. Units – Map.

1.1.6 Open Spatial Analyst Toolbar>Reclassify>Select input raster and specify field>Set values to reclassify 0-0.24 = 1, 0.25 - 0.5 = 2, > 0.5 = 3 > specify output raster.

NOTE – Feel free to change values to suit your study area.

2. Survey Tracks

Survey track plots were converted into a 1km grid and assigned a score of 1 (low frequency seismic was not included).

# 2.1 METHOD

2.1.1 Open Attribute table for track lines > Add a new numeric field > Right click new field header > Field Calculator > Apply a score of 1 to all track line features

2.1.2 Open Spatial Analyst toolbar > Convert >Features to RASTER (NOTE: see point 1.1.3 to ensure all grids produced have the same origin/extent)

2.1.3 Features to Raster> Input Features – Your Track Shapefile > Field - specify numeric field created above.

2.1.4 Reclassify all null values into 0. This is essential for later steps when the grids are summed. >Reclassify > Old Values – New Values > No Data – 0, 1- 1 >Save New Raster

# Multibeam

Follow the same method for above using a multibeam extents polygon, only this time assign a score of 3.

Remember to reclassify NoData to a 0.

# Side Scan Sonar

Follow the same method for above for track lines where the equipment type used was Side Scan Sonar. Apply a score of 1 Remember to reclassify NoData to a 0.

# FINAL CONFIDENCE GRID

Use ArcMap>Spatial Analyst>Raster Calculator to sum all the intermediate grids created above into one final grid.